## STIC Biotechnology Systems Branch

## RAW SEQUENCE LISTING ERROR REPORT

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number: 10/563, 8264Source: 11/20/2006

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.
PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

- 1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,
- 2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY

FOR CRF SUBMISSION AND PATENTIN SOFTWARE QUESTIONS, PLEASE CONTACT MARK SPENCER, TELEPHONE: 571-272-2510; FAX: 571-273-0221

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE <u>CHECKER</u> <u>VERSION 4.4.0 PROGRAM</u>, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW FOR ADDRESS:

http://www.uspto.gov/web/offices/pac/checker/chkrnote.htm

Applicants submitting genetic sequence information electronically on diskette or CD-Rom should be aware that there is a possibility that the disk/CD-Rom may have been affected by treatment given to all incoming mail. Please consider using alternate methods of submission for the disk/CD-Rom or replacement disk/CD-Rom.

Any reply including a sequence listing in electronic form should NOT be sent to the 20231 zip code address for the United States Patent and Trademark Office, and instead should be sent via the following to the indicated addresses:

- 1. EFS-Bio (<a href="http://www.uspto.gov/ebc/efs/downloads/documents.htm">http://www.uspto.gov/ebc/efs/downloads/documents.htm</a>, EFS Submission User Manual ePAVE)
- 2. U.S. Postal Service: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450
- 3. Hand Carry, Federal Express, United Parcel Service, or other delivery service (EFFECTIVE 01/14/05):
  U.S. Patent and Trademark Office, Mail Stop Sequence, Customer Window, Randolph Building, 401 Dulany Street,
  Alexandria, VA 22314

Revised 01/10/06



**IFWO** 

RAW SEQUENCE LISTING

DATE: 11/20/2006

Does Not Comply

Corrected Diskette Needed

PATENT APPLICATION: US/10/563,826A

0/563,826A TIME: 09:56:48

Input Set : A:\10563826A.RAW

Output Set: N:\CRF4\11202006\J563826A.raw

5 <110> APPLICANT: LINDER, Markus et al.

7 <120> TITLE OF INVENTION: A METHOD FOR CLEAVING PROTEINS

9 <130> FILE REFERENCE: 0365-0662PUS1

11 <140> CURRENT APPLICATION NUMBER: 10/563,826A

12 <141> CURRENT FILING DATE: 2006-01-06

14 <150> PRIOR APPLICATION NUMBER: PCT/FI04/00439

15 <151> PRIOR FILING DATE: 2004-07-08

17 <150> PRIOR APPLICATION NUMBER: 2001050

18 <151> PRIOR FILING DATE: 2003-07-09
E--> 20 <16C> NUMBER OF SEQ ID NOS: 30

22 <170> SOFTWARE: PatentIn version 3.1

ERRORED SEQUENCES

RAW SEQUENCE LISTING ERROR SUMMARY DATE: 11/20/2006
PATENT APPLICATION: US/10/563,826A TIME: 09:56:49

Input Set : A:\10563826A.RAW

Output Set: N:\CRF4\11202006\J563826A.raw

## Invalid Line Length:

The rules require that a line not exceed 72 characters in length. This includes spaces.

Seq#:4; Line(s) 90,91,92,93,94,95,96,97,98,99,100,101,102,103,104,105,106

Seq#:4; Line(s) 107,108,109,110,111,112,113,114,115

VERIFICATION SUMMARY

DATE: 11/20/2006

PATENT APPLICATION: US/10/563,826A

TIME: 09:56:49

Input Set : A:\10563826A.RAW

Output Set: N:\CRF4\11202006\J563826A.raw

L:20 M:203 E: No. of Seq. differs, <160> Number Of Sequences:Input (30) Counted (4)